



+91 77987 00888



AARTI ENGINEERING™

ISO Certified 9001

# INDUSTRIAL HONING MACHINE MANUFACTURER



## why we are BEST ?



ISO Certified



Expert Team



Commitment



Potential



Innovation

# ABOUT COMPANY

Aarati Engineering™ is well known in Kolhapur district for quality manufacturer & Supplier of honing machines.

Aarati Engineering™ has more than 20 Years industrial experience. We have been satisfying the exact requirements and needs of our customers.

The tremendous responses from our customers have given us an encouragement to make more improvements and apply advanced suitable techniques to our products so that our customers may work at ease without any flaws or problem

## MFG OF :-

- ✓ Horizontal Auto Stroking Machine
- ✓ Manual Honing Machine
- ✓ Vertical Power Stroking
- ✓ Hydraulic Honing Machine
- ✓ Honing Machine Spare Parts
- ✓ Tooling
- ✓ Mandrels
- ✓ Wedge
- ✓ Stone Base
- ✓ Abrasive Honing Stone

## JOB WORK :-

- ✓ Honing
- ✓ Center Less
- ✓ Cylindrical & Surface
- ✓ Grinding
- ✓ Precision Components

**Tooling Range**  
**4mm to 100 mm available**



## Mission

- Providing high-quality honing machines that meet the specific needs of their customers.
- Ensuring on-time delivery of honing machines to minimize downtime and production losses for their customers.



## Vision

- Developing new technologies and processes that improve the efficiency and effectiveness of the honing process.
- Maintaining a commitment to sustainability and environmental responsibility

# OUR PRODUCTS

## MANUAL HORIZONTAL AUTO STROKING

### Specification



I.D. RANG	POWER Ø3mm - Ø95 mm MANUAL Ø3mm - Ø120 mm
LENTH RANGE	UPTO 250 mm
SPINDLE SPEEDS	VFD 0 TO 3000RPM
SPINDLE MOTOR	1 H.P. - 3 phase
HONING OIL PUMP	RV 40/170,2800 RPM
SROKING RATES	80,110,160,220,310 /min
SPINDLE BRAKE	ELECTRICALLY OPERATED
OIL CAPACITY	60 LIT
WEIGHT	520 KG NET (without oil)
FLOOR SPACE	990W x 1410D x 1500H.

### MODEL-TSA 1696

## MANUAL HONING MACHINE

### Specification

I.D. RANG	POWER Ø3 mm - Ø95mm
LENTH RANGE	OPEN END OR BLIND END
SPINDLE SPEEDS	400 TO 1200 RPM
SPINDLE MOTOR	1 H.P. - 3 phase
HONING OIL PUMP	RV 25/170, 2800 RPM
SROKING	MANUAL
SPINDLE BRAKE	SPINDLE BRAKE
OIL CAPACITY	40 Ltr
WEIGHT	836 W x 1110 D x 1500 H
FLOOR SPACE	350 KG Net (Without

### MODEL-TSM 397



# HONING SPARE PARTS



Mandrel Set



Stone Base



Honing Tools



Honing Job



Honing Sticks



Wedge



 Ratnaeep Vasahat, Galli No-5,  
Near Balwadi, Opp Khandoba Mandir,  
GANGANAGAR-KABNOOR  
ICHALKARANJI-416115  
Tal-Hatkangale Dist-Kolhapur,  
MAHARASHTRA,INDIA.

**GST-27ATEPS7280F1ZC**

 aratiengg.ich@gmail.com

 +91 77987 00888  
+91 93258 40488

 [www.honingmachinemanufacturer.com](http://www.honingmachinemanufacturer.com)  
[www.honingmachine.org](http://www.honingmachine.org)

